



North American Series **Commercial Kitchen Directory**

Built Like a Legend, Strong as Steel



ABOUT US

◆ Company introduction

At Legend Stainless Steel Industries Co., Ltd., we believe in shaping a better world, one stainless creation at a time. Since our founding in 2017 in the vibrant heart of Ho Chi Minh City, Vietnam, we've dedicated ourselves to mastering the art and science of stainless steel manufacturing. Spanning a 20,000-square-meter facility, our state-of-the-art production lines bring precision, innovation, and elegance to commercial kitchens worldwide.

Driven by a vision to redefine what's possible in the culinary space, we craft durable, high-performance kitchen equipment that withstands the demands of professional use. Our commitment to engineering excellence, rigorous craftsmanship, and exceptional value enables us to offer solutions that are as reliable as they are remarkable. Every piece we create embodies our commitment to quality and innovation—values that are woven into the very fabric of Legend Stainless.

Our dedication to the highest standards is affirmed by our international certifications, including cUPC, NSF, and ISO 9001. These marks of excellence underscore our commitment to safety, quality, and environmental responsibility, ensuring that each product meets the rigorous standards demanded by today's global markets.

Our customers are more than clients; they are partners in a shared pursuit of excellence. From North America's most discerning brands, distributors, and project developers, to the kitchen professionals who depend on our products every day, we pride ourselves on building long-lasting relationships grounded in trust, responsiveness, and an unwavering commitment to their success.

At Legend Stainless, we stand for sustainability and forward-thinking practices that align with the global ESG movement. With a spirit of resilience and a relentless focus on customer satisfaction, we are not just manufacturing kitchen solutions—we are building legends that last.

TABLE OF CONTENTS PAGE




Work Table Series

- Work Tables with Flat top
- Work Table with backsplash
- More Stainless Steel Work Table



Equipment stand Series



Dish tables Series



Compartment sink Series

- 1 Compartment Sinks
- 2 Compartment Sinks
- 3 Compartment Sinks
- 4 Compartment Sinks
- Compartment corner Sinks



Hand sink Series

- Hand Sinks and Accessores



Utility Sinks Series



Mop Sink Series

TABLE OF CONTENTS PAGE



Underbar Sink Series

- 1 Bowl Underbar Sink
- 2 Bowl Underbar Sink
- 3 Bowl Underbar Sink
- 4 Bowl Underbar Sink



Ice Bin Series

- Drop-In Ice Bin
- Portable Ice Bin



Pan Rack Series

- Sheet Pan Rack - Unassembled
- Pan Rack - Welded



Wall Shelves Series


- Wall Mount shelving
- Microwave shelf
- Slant Shelf



Accessories Series

- Faucet
- Waste
- Leg Socket
- Feet
- Casters

Work Tables with Flat top



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safety-use care



Leg Support

- Round tube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Note

- All products support customisation, we will meet your many custom needs!



Under Structure


- Available in Galvanized or Stainless steel Under Shelf
- Available in Stainless steel Cross-rails Under structure



Package

- Shipped knocked-down for saving space
- Standard exporting carton package

●Work Tables With Flat Top



Customized services available

1. Customizable material

Optional material for topsurface	☐ 304 Stainless Steel ☐ 430 Stainless Steel ☐ Galvanized sheet
Optional material for Undershelf	☐ 304 Stainless Steel ☐ 430 Stainless Steel ☐ Galvanized sheet
Optional material for legs	☐ 304 Stainless Steel ☐ 430 Stainless Steel ☐ Galvanized sheet


2. Feet accessories style

- ☐ Stainless bullet feet
- ☐ Plastic bullet feet
- ☐ Casters

3. Sockets style

- ☐ Aluminum castings
- ☐ Integral welding

Item No.	Length"	Widt h"	Height "	Table Style	Backsplash	Backsplash height(in)"	Thickness
WT-122434	12	24	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-152434	15	24	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-182434	18	24	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-242434	24	24	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-362434	36	24	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-482434	48	24	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-602434	60	24	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-722434	72	24	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-842434	84	24	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-962434	96	24	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-123034	12	30	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-153034	15	30	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-183034	18	30	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-363034	36	30	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-483034	48	30	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-603034	60	30	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-723034	72	30	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-843034	84	30	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge
WT-963034	96	30	34	with undershelf	without	/	14 Gauge/16 Gauge/18 Gauge



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safety-use care



Leg Support

- Round tube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Note

- All products support customisation, we will meet your many custom needs!



Under Structure

- Available in Galvanized or Stainless steel Under Shelf
- Available in Stainless steel Cross-rails Under structure




Package

- Shipped knocked-down for saving space
- Standard exporting carton package

● Work Table With backsplash



☐ One side ☐ Three side



Customized services available

1. Customizable material

Optional material for topsurface	☐ 304 Stainless Steel ☐ 430 Stainless Steel ☐ Galvanized sheet
Optional material for Undershelf	☐ 304 Stainless Steel ☐ 430 Stainless Steel ☐ Galvanized sheet
Optional material for legs	☐ 304 Stainless Steel ☐ 430 Stainless Steel ☐ Galvanized sheet

2. Feet accessories style

☐ Stainless bullet feet
☐ Plastic bullet feet
☐ Casters

3. Sockets style

☐ Aluminum castings
☐ Integral welding

Item No.	Length"	Width"	Height "	Table Style	Backsplash	Backsplash height(in)"	Thickness
WT-122438-S1	12	24	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-152438-S2	15	24	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-182438-S3	18	24	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-242438-S4	24	24	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-362438-S5	36	24	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-482438-S6	48	24	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-602438-S7	60	24	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-722438-S8	72	24	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-842438-S9	84	24	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-962438-S10	96	24	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-123038-S11	12	30	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-153038-S12	15	30	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-183038-S13	18	30	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-363038-S14	36	30	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-483038-S15	48	30	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-603038-S16	60	30	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-723038-S17	72	30	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-843038-S18	84	30	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
WT-963038-S19	96	30	38	with undershelf	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round tube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Package


- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!

● More Stainless Steel Work Table



Customized services available

1. Customizable material

- Optional material for topsurface

☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet
- Optional material for legs

☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet

2. Feet accessories style

- ☐ Silicone bullet feet
- ☐ Metal bullet feet
- ☐ Casters


3. Sockets style

- ☐ Aluminum castings
- ☐ Integral welding

4. Front edge

- ☐ A rolled front edge
- ☐ Beveled

Item No.	Length"	Width"	Height "	Table Style	Backsplash	Backsplash height(in)"	Thickness
OBWT-122434	12	24	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-152434	15	24	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-182434	18	24	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-242434	24	24	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-362434	36	24	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-482434	48	24	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-602434	60	24	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-722434	72	24	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-842434	84	24	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-962434	96	24	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-123034	12	30	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-153034	15	30	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-183034	18	30	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-363034	36	30	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-483034	48	30	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-603034	60	30	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-723034	72	30	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-843034	84	30	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge
OBWT-963034	96	30	34	Open Base	without	/	14 Gauge/16 Gauge/18 Gauge



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round tube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Package

- Shipped knocked-down for saving space
- Standard exporting carton package




Note

- All products support customisation, we will meet your many custom needs!

● More Stainless Steel Work Table



☐ One side ☐ Three side



Customized services available

1. Customizable material

- Optional material for topsurface

☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet
- Optional material for legs

☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet

2. Feet accessories style

- ☐ Silicone bullet feet
- ☐ Metal bullet feet
- ☐ Casters


3. Sockets style

- ☐ Aluminum castings
- ☐ Integral welding

4. Front edge

- ☐ A rolled front edge
- ☐ Beveled

Item No.	Length"	Width"	Height "	Table Style	Backsplash	Backsplash height(in)"	Thickness
OBWT-122438-S1	12	24	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-152438-S2	15	24	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-182438-S3	18	24	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-242438-S4	24	24	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-362438-S5	36	24	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-482438-S6	48	24	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-602438-S7	60	24	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT722438-S8	72	24	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-842438-S9	84	24	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-962438-S10	96	24	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-123038-S11	12	30	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-153038-S12	15	30	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-183038-S13	18	30	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-363038-S14	36	30	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-483038-S15	48	30	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-603038-S16	60	30	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-723038-S17	72	30	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-843038-S18	84	30	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge
OBWT-963038-S19	96	30	38	Open Base	with side	2"/4"	14 Gauge/16 Gauge/18 Gauge



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round rube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Package

- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!

Customized services available

1. Customizable material

- | | |
|----------------------------------|---|
| Optional material for topsurface | ☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet |
| Optional material for legs | ☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet |

2. Feet accessories style

- | |
|---|
| ☐ Silicone bullet feet |
| ☐ Metal bullet feet |
| ☐ Casters |



3. Sockets style

- | |
|--|
| ☐ Aluminum castings |
| ☐ Integral welding |

Work Table Series





Sorting table





Item No.	Length"	Width"	Height "	Table Style	Thickness
ST-122438-S1	48	30	37 1/2	Cross bracing 4 sides	16 Gauge
ST-152438-S2	60	30	37 1/2	Cross bracing 4 sides	16 Gauge
ST-182438-S3	72	30	37 1/2	Cross bracing 4 sides	16 Gauge
ST-242438-S4	96	30	37 1/2	Cross bracing 4 sides	16 Gauge

Open base Sorting table




Item No.	Length"	Width"	Height "	Table Style	Thickness
OPST-122438-S1	48	30	37 1/2	Open Base, cross bracing 3 sides	16 Gauge
OPST-152438-S2	60	30	37 1/2	Open Base, cross bracing 3 sides	16 Gauge
OPST-182438-S3	72	30	37 1/2	Open Base, cross bracing 3 sides	16 Gauge
OPST-242438-S4	96	30	37 1/2	Open Base, cross bracing 3 sides	16 Gauge

Open base Sorting table with backplash



Item No.	Length"	Width"	Height "	Table Style	Thickness
OBWT-122438-S1	48	30	37 1/2	Open Base, cross bracing 3 sides	without
OBWT-152438-S2	60	30	37 1/2	Open Base, cross bracing 3 sides	without
OBWT-182438-S3	72	30	37 1/2	Open Base, cross bracing 3 sides	without
OBWT-242438-S4	96	30	37 1/2	Open Base, cross bracing 3 sides	without



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round tube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Note

- All products support customisation, we will meet your many custom needs!



Under Structure


- Available in Galvanized or Stainless steel Under Shelf
- Available in Stainless steel Cross-rails Under structure



Package

- Shipped knocked-down for saving space
- Standard exporting carton package

● Equipment stand work table



Customized services available

1. Customizable material

- | | |
|----------------------------------|---|
| Optional material for topsurface | ☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet |
| Optional material for Undershelf | ☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet |
| Optional material for legs | ☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet |


2. Feet accessories style

- ☐ Stainless bullet feet
- ☐ Plastic bullet feet
- ☐ Casters

3. Sockets style

- ☐ Aluminum castings
- ☐ Integral welding

Item No.	Length"	Width"	Height "	Table Style	Backsplash	Backsplash height(in)"	Thickness
ES-302434	30	24	34	with undershelf	three side	4	16-Gauge
ES-362434	36	24	34	with undershelf	three side	4	16-Gauge
ES-482434	48	24	34	with undershelf	three side	4	16-Gauge
ES-602434	60	24	34	with undershelf	three side	4	16-Gauge
ES*722434	72	24	34	with undershelf	three side	4	16-Gauge
ES-303034	30	30	34	with undershelf	three side	4	16-Gauge
ES-363034	36	30	34	with undershelf	three side	4	16-Gauge
ES-483034	48	30	34	with undershelf	three side	4	16-Gauge
ES-603034	60	30	34	with undershelf	three side	4	16-Gauge
ES-723034	72	30	34	with undershelf	three side	4	16-Gauge



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round tube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Note

- All products support customisation, we will meet your many custom needs!



Under Structure



- Available in Galvanized or Stainless steel Under Shelf
- Available in Stainless steel Cross-rails Under structure



Package

- Shipped knocked-down for saving space
- Standard exporting carton package

● Equipment stand work table with ship unassembled



Customized services available

1. Customizable material

Optional material for topsurface	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet
Optional material for Undershelf	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet
Optional material for legs	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet


2. Feet accessories style

- ☐ Stainless bullet feet
- ☐ Plastic bullet feet
- ☐ Casters

3. Sockets style

- ☐ Aluminum castings
- ☐ Integral welding

Item No.	Length"	Width"	Height "	Table Style	Backsplash	Backsplash height(in)"	Thickness
EQWT-302434	30	24	34	with undershelf	three side	4	16-Gauge
EQWT-362434	36	24	34	with undershelf	three side	4	16-Gauge
EQWT-482434	48	24	34	with undershelf	three side	4	16-Gauge
EQWT-602434	60	24	34	with undershelf	three side	4	16-Gauge
EQWT-722434	72	24	34	with undershelf	three side	4	16-Gauge
EQWT-303034	30	30	34	with undershelf	three side	4	16-Gauge
EQWT-363034	36	30	34	with undershelf	three side	4	16-Gauge
EQWT-483034	48	30	34	with undershelf	three side	4	16-Gauge
EQWT-603034	60	30	34	with undershelf	three side	4	16-Gauge
EQWT-723034	72	30	34	with undershelf	three side	4	16-Gauge



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round tube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Package


- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!

Clean Dish Table



Customized services available

1. Customizable material

- Optional material for topsurface

☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet
- Optional material for legs

☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet


2. Feet accessories style

- ☐ Silicone bullet feet
- ☐ Metal bullet feet
- ☐ Casters

3. Sockets style

- ☐ Aluminum castings
- ☐ Integral welding

Item No.	Length"	Width"	Height "	Table Style	Backsplash	Backsplash height(in)"
CDTL-243044	24"	30"	44 3/4	Left	10 3/4"	16-Gauge
CDTR-243044	24"	30"	44 3/4	Right	10 3/4"	16-Gauge
CDTL-363044	36"	30"	44 3/4	Left	10 3/4"	16-Gauge
CDTR-363044	36"	30"	44 3/4	Right	10 3/4"	16-Gauge
CDTL-483044	48"	30"	44 3/4	Left	10 3/4"	16-Gauge
CDTR-483044	48"	30"	44 3/4	Right	10 3/4"	16-Gauge
CDTL-603044	60"	30"	44 3/4	Left	10 3/4"	16-Gauge
CDTR-603044	60"	30"	44 3/4	Right	10 3/4"	16-Gauge
CDTL-723044	72"	30"	44 3/4	Left	10 3/4"	16-Gauge
CDTR-723044	72"	30"	44 3/4	Right	10 3/4"	16-Gauge
CDTL-843044	84"	30"	44 3/4	Left	10 3/4"	16-Gauge
CDTR-843044	84"	30"	44 3/4	Right	10 3/4"	16-Gauge
CDTL-963044	96"	30"	44 3/4	Left	10 3/4"	16-Gauge
CDTR-963044	96"	30"	44 3/4	Right	10 3/4"	16-Gauge



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round tube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Package


- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!

● Soiled Dish Table



Customized services available

1. Customizable material

- Optional material for topsurface

☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet
- Optional material for legs

☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet


2. Feet accessories style

- ☐ Silicone bullet feet
- ☐ Metal bullet feet
- ☐ Casters

3. Sockets style

- ☐ Aluminum castings
- ☐ Integral welding

Item No.	Length"	Width"	Height "	Table Style	Backsplash	Backsplash height(in)"	Bowl Length "	Bowl Width"	Bowl Height "
SDTL-363044	36"	30"	44 3/4	Left	10 3/4"	16-Gauge	20	20	6
SDTR-363044	36"	30"	44 3/4	Right	10 3/4"	16-Gauge	20	20	6
SDTL-483044	48"	30"	44 3/4	Left	10 3/4"	16-Gauge	20	20	6
SDTR-483044	48"	30"	44 3/4	Right	10 3/4"	16-Gauge	20	20	6
SDTL-603044	60"	30"	44 3/4	Left	10 3/4"	16-Gauge	20	20	6
SDTR-603044	60"	30"	44 3/4	Right	10 3/4"	16-Gauge	20	20	6
SDTL-723044	72"	30"	44 3/4	Left	10 3/4"	16-Gauge	20	20	6
SDTR-723044	72"	30"	44 3/4	Right	10 3/4"	16-Gauge	20	20	6
SDTL-843044	84"	30"	44 3/4	Left	10 3/4"	16-Gauge	20	20	6
SDTR-843044	84"	30"	44 3/4	Right	10 3/4"	16-Gauge	20	20	6
SDTL-963044	96"	30"	44 3/4	Left	10 3/4"	16-Gauge	20	20	6
SDTR-963044	96"	30"	44 3/4	Right	10 3/4"	16-Gauge	20	20	6



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round tube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Package


- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!

● L-Style Clean Dish Tables



Customized services available

1. Customizable material

Optional material for topsurface	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet
Optional material for legs	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet


2. Feet accessories style

☐ Silicone bullet feet
☐ Metal bullet feet
☐ Casters

3. Sockets style

☐ Aluminum castings
☐ Integral welding

Item No.	Length"	Width"	Height "	Table Style	Backsplash	Backsplash height(in)"
LCDTL-604844	60"	48"	44 3/4	Left	10 3/4"	16-Gauge
LCDTR-604844	60"	48"	44 3/4	Right	10 3/4"	16-Gauge
LCDTL-606044	60"	60"	44 3/4	Left	10 3/4"	16-Gauge
LCDTR-606044	60"	60"	44 3/4	Right	10 3/4"	16-Gauge
LCDTL-607244	60"	72"	44 3/4	Left	10 3/4"	16-Gauge
LCDTR-607244	60"	72"	44 3/4	Right	10 3/4"	16-Gauge



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely–use care



Package

- Shipped knocked-down for saving space
- Standard exporting carton package



Leg Support

- Round rube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Note

- All products support customisation, we will meet your many custom needs!

Customized services available

1. Customizable material

Optional material for topsurface	☐ 304 Stainless Steel ☐ 430 Stainless Steel ☐ Galvanized sheet
Optional material for legs	☐ 304 Stainless Steel ☐ 430 Stainless Steel ☐ Galvanized sheet

2. Feet accessories style

☐ Silicone bullet feet
☐ Metal bullet feet
☐ Casters


3. Sockets style

☐ Aluminum castings
☐ Integral welding

Dish Table Series




Island Style Soiled Dish Tables




Item No.	Length"	Width"	Height "	Table Style	Backsplash	Backsplash height(in)"	Bowl Length "	Bowl Width"	Bowl Height "
ISDTL-604844	60"	48"	44 3/4	Left	10 3/4"	16-Gauge	20 1/4	20 1/4	6
ISDTR-604844	60"	48"	44 3/4	Right	10 3/4"	16-Gauge	20 1/4	20 1/4	6
ISDTL-606044	60"	60"	44 3/4	Left	10 3/4"	16-Gauge	20 1/4	20 1/4	6
ISDTR-606044	60"	60"	44 3/4	Right	10 3/4"	16-Gauge	20 1/4	20 1/4	6
ISDTL-607244	60"	72"	44 3/4	Left	10 3/4"	16-Gauge	20 1/4	20 1/4	6
ISDTR-607244	60"	72"	44 3/4	Right	10 3/4"	16-Gauge	20 1/4	20 1/4	6

Landing Style Soiled Dish Tables



Item No.	Length"	Width"	Height "	Table Style	Backsplash	Backsplash height(in)"	Bowl Length "	Bowl Width"	Bowl Height "
LSDTL-674844	67"	48"	44 3/4	Left	10 3/4"	16-Gauge	20 1/4	20 1/4	6
LSDTR-674844	67"	48"	44 3/4	Right	10 3/4"	16-Gauge	20 1/4	20 1/4	6
LSDTL-676044	67"	60"	44 3/4	Left	10 3/4"	16-Gauge	20 1/4	20 1/4	6
LSDTR-676044	67"	60"	44 3/4	Right	10 3/4"	16-Gauge	20 1/4	20 1/4	6
LSDTL-677244	67"	72"	44 3/4	Left	10 3/4"	16-Gauge	20 1/4	20 1/4	6
LSDTR-677244	67"	72"	44 3/4	Right	10 3/4"	16-Gauge	20 1/4	20 1/4	6



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely–use care



Leg Support

- Round rube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Package

- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!

Customized services available

1. Customizable material

Optional material for topsurface	☐ 304 Stainless Steel ☐ 430 Stainless Steel ☐ Galvanized sheet
Optional material for legs	☐ 304 Stainless Steel ☐ 430 Stainless Steel ☐ Galvanized sheet

2. Feet accessories style




☐ Silicone bullet feet
☐ Metal bullet feet
☐ Casters

3. Sockets style

☐ Aluminum castings
☐ Integral welding



Compartment sink Series

1 Compartment Commercial Sink without Drainboard





Item No.	Bowl Dimensions (L x W x D)	Length"	Width"	Height"	Drainage	Of Drainboards	Drainboard Length	Drainboard Location	Cross Braces
CS1-212543	16" x 20" x 12"	21"	25½"	43 3/4"	2*Φ3-1/2"	0	N/A	None	optional
CS1-222243	17" x 17" x 12"	22"	22-13/16"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS1-222343	17" x 17" x 12"	22"	23-13/16"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS1-222843	17" x 17" x 12"	22"	28½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS1-232343	18" x 18" x 14"	23"	23½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS1-232943	18" x 24" x 14"	23"	29½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS1-282843	23" x 23" x 12"	28"	28-13/16"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS1-292943	24" x 24" x 14"	29"	29½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional

1 Compartment Commercial Sink with one Drainboard




Item No.	Bowl Dimensions (L x W x D)	Length"	Width"	Height"	Drainage	Of Drainboards	Drainboard Length	Drainboard Location	Cross Braces
CSDBL1-362543	16" x 20" x 12"	36½"	25½"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	optional
CSDBL1-442843	17" x 17" x 12"	44"	28"	43 3/4"	2*Φ3-1/2"	1	24"	Left/Right	optional
CSDBL1-382343	18" x 18" x 14"	38½"	23½"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	optional
CSDBL1-442343	18" x 18" x 14"	44½"	23½"	43 3/4"	2*Φ3-1/2"	1	24"	Left/Right	optional
CSDBL1-382943	18" x 24" x 14"	38½"	29½"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	optional
CSDBL1-492843	23" x 23" x 12"	49½"	28½"	43 3/4"	2*Φ3-1/2"	1	24"	Left/Right	optional
CSDBL1-442943	24" x 24" x 14"	44½"	29½"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	optional
CSDBL1-502943	24" x 24" x 14"	50½"	29½"	43 3/4"	2*Φ3-1/2"	1	24"	Left/Right	optional

1 Compartment Commercial Sink with two Drainboard



Item No.	Bowl Dimensions (L x W x D)	Length"	Width"	Height"	Drainage	Of Drainboards	Drainboard Length	Drainboard Location	Cross Braces
CSDB1-522543	16" x 20" x 12"	52"	25½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	optional
CSDB1-652843	17" x 23" x 12"	65"	28"	43 3/4"	2*Φ3-1/2"	2	24"	Left & Right	optional
CSDB1-542343	18" x 18" x 14"	54"	23½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	optional
CSDB1-662343	18" x 18" x 14"	66"	23½"	43 3/4"	2*Φ3-1/2"	2	24"	Left & Right	optional
CSDB1-542943	18" x 24" x 14"	54"	29½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	optional
CSDB1-712843	23" x 23" x 12"	71"	28"	43 3/4"	2*Φ3-1/2"	2	24"	Left & Right	optional
CSDB1-602943	24" x 24" x 14"	60"	29½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	optional
CSDB1-722943	24" x 24" x 14"	72"	29½"	43 3/4"	2*Φ3-1/2"	2	24"	Left & Right	optional

2 Compartment sink



Top Structure



Package



Leg Support



Note

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care
- Shipped knocked-down for saving space
- Standard exporting carton package
- Round rube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength
- All products support customisation, we will meet your many custom needs!



Customized services available

1. Customizable material	2. Feet accessories style	3. Sockets style
Optional material for topsurface ☐ 304 Stainless Steel ☐ 430 Stainless Steel ☐ Galvanized sheet	☐ Silicone bullet feet	☐ Aluminum castings
Optional material for legs ☐ 304 Stainless Steel ☐ 430 Stainless Steel ☐ Galvanized sheet	☐ Metal bullet feet	☐ Integral welding
	☐ Casters	

Compartment sink Series





2 Compartment Commercial Sink without Drainboard





Item No.	Bowl Dimensions (L x W x D)	Length"	Width"	Hight"	Drainage	Of Drainboards	Drainboard Length	Drainboard Location	Cross Braces
CS2-271943	10" x 14" x 12"	27"	19½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS2-372043	15" x 15" x 12"	37"	20½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS2-392543	16" x 20" x 12"	39"	25½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS2-412243	17" x 17" x 12"	41"	22½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS2-432343	18" x 18" x 14"	43"	23½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS2-432943	18" x 24" x 14"	43"	29½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS2-532843	23" x 23" x 12"	53"	28 13/16"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS2-552943	24" x 24" x 14"	55"	29½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional

2 Compartment Commercial Sink with one Drainboard



Item No.	Bowl Dimensions (L x W x D)	Length"	Width"	Hight"	Drainage	Of Drainboards	Drainboard Length	Drainboard Location	Cross Braces
CSDBL2-542543	16" x 20" x 12"	54½"	25½"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	optional
CSDBL2-572243	17" x 17" x 12"	57"	22"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	optional
CSDBL2-582343	18" x 18" x 14"	58½"	23½"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	optional
CSDBL2-582943	18" x 24" x 14"	58½"	29½"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	optional
CSDBL2-642943	18" x 24" x 14"	64½"	29½"	43 3/4"	2*Φ3-1/2"	1	24"	Left/Right	optional
CSDBL2-702943	24" x 24" x 14"	70½"	29½"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	optional
CSDBL2-762943	24" x 24" x 14"	76½"	29½"	43 3/4"	2*Φ3-1/2"	1	24"	Left/Right	optional

2 Compartment Commercial Sink with two Drainboard



Item No.	Bowl Dimensions (L x W x D)	Length"	Width"	Hight"	Drainage	Of Drainboards	Drainboard Length	Drainboard Location	Cross Braces
CSDB2-541943	10" x 14" x 12"	54"	19½"	43 3/4"	2*Φ3-1/2"	2	16"	Left & Right	optional
CSDB2-702543	16" x 20" x 12"	70"	25½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	optional
CSDB2-722243	17" x 17" x 12"	72"	22½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	optional
CSDB2-742343	18" x 18" x 14"	74"	23½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	optional
CSDB2-862343	18" x 18" x 14"	86"	23½"	43 3/4"	2*Φ3-1/2"	2	24"	Left & Right	optional
CSDB2-742943	18" x 24" x 14"	74"	29½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	optional
CSDB2-862943	18" x 24" x 14"	86"	29½"	43 3/4"	2*Φ3-1/2"	2	24"	Left & Right	optional
CSDB2-962843	23" x 23" x 12"	96"	28"	43 3/4"	2*Φ3-1/2"	2	24"	Left & Right	optional



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely–use care



Leg Support

- Round rube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Package

- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!

Customized services available

1. Customizable material

Optional material for topsurface	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet
Optional material for legs	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet

2. Feet accessories style



☐ Silicone bullet feet
☐ Metal bullet feet
☐ Casters

3. Sockets style

☐ Aluminum castings
☐ Integral welding



Compartment sink Series

3 Compartment Commercial Sink without Drainboard






Item No.	Bowl Dimensions (L x W x D)	Length"	Width"	Height"	Drainage	Of Drainboards	Drainboard Length	Drainboard Location	Cross Braces
CS3-391943	10" x 14" x 10"	39"	19½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS3-542043	15" x 15" x 12"	54"	20½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS3-572543	16" x 20" x 12"	57"	25½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS3-602243	17" x 17" x 12"	60"	22½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS3-632343	18" x 18" x 14"	63"	23½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS3-782843	23" x 23" x 12"	78"	28 13/16"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	optional
CS3-812943	24" x 24" x 14"	81"	29½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	Yes
CS3-812943	24" x 24" x 14"	81"	29½"	43 3/4"	2*Φ3-1/2"	0	N/A	N/A	Yes

3 Compartment Commercial Sink with one Drainboard




Item No.	Bowl Dimensions (L x W x D)	Length"	Width"	Height"	Drainage	Of Drainboards	Drainboard Length	Drainboard Location	Cross Braces
CSDBL3-662043	15" x 15" x 12"	66½"	20½"	43 3/4"	2*Φ3-1/2"	1	15"	Left/Right	optional
CSDBL3-724343	16" x 20" x 12"	72½"	43¾"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	optional
CSDBL3-762243	17" x 17" x 12"	76"	22"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	optional
CSDBL3-782343	18" x 18" x 14"	78½"	23½"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	optional
CSDBL3-842343	18" x 18" x 14"	84½"	23½"	43 3/4"	2*Φ3-1/2"	1	24"	Left/Right	optional
CSDBL3-962943	24" x 24" x 14"	96½"	29½"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	optional
CSDBL2-582943	18" x 24" x 14"	58½"	29½"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	Yes
CSDBL3-782943	18" x 24" x 14"	78½"	29 13/16"	43 3/4"	2*Φ3-1/2"	1	18"	Left/Right	Yes
CSDBL3-782943	18" x 24" x 14"	84½"	29 13/16"	43 3/4"	2*Φ3-1/2"	1	24"	Left/Right	Yes

3 Compartment Commercial Sink with two Drainboard



Item No.	Bowl Dimensions (L x W x D)	Length"	Width"	Height"	Drainage	Of Drainboards	Drainboard Length	Drainboard Location	Cross Braces
CSDB3-1002543	16" x 20" x 12"	100"	25½"	43 3/4"	2*Φ3-1/2"	2	24"	Left & Right	optional
CSDB3-1032243	17" x 17" x 12"	103"	22 13/16"	43 3/4"	2*Φ3-1/2"	2	24"	Left & Right	optional
CSDB3-1062343	18" x 18" x 14"	106"	23½"	43 3/4"	2*Φ3-1/2"	2	24"	Left & Right	optional
CSDB3-1122943	24" x 24" x 14"	112"	29½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	optional
CSDB3-1212843	23" x 23" x 12"	121"	28 13/16"	43 3/4"	2*Φ3-1/2"	2	24"	Left & Right	optional
CSDB3-581943	10" x 14" x 10"	58"	19½"	43 3/4"	2*Φ3-1/2"	2	12"	Left & Right	optional
CSDB3-661943	10" x 14" x 10"	66"	19 13/16"	43 3/4"	2*Φ3-1/2"	2	16"	Left & Right	optional
CSDB3-702143	14" x 16" x 12"	70"	21½"	43 3/4"	2*Φ3-1/2"	2	12"	Left & Right	optional
CSDB3-792043	15" x 15" x 12"	79"	20½"	43 3/4"	2*Φ3-1/2"	2	15"	Left & Right	optional
CSDB3-882543	16" x 20" x 12"	88"	25½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	optional
CSDB3-912243	17" x 17" x 12"	91"	22½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	optional



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round rube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Package

- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!

Customized services available

1. Customizable material

Optional material for topsurface

- ☐ 304 Stainless Steel
- ☐ 430 Stainless Steel
- ☐ Galvanized sheet

Optional material for legs

- ☐ 304 Stainless Steel
- ☐ 430 Stainless Steel
- ☐ Galvanized sheet


2. Feet accessories style

- ☐ Silicone bullet feet
- ☐ Metal bullet feet
- ☐ Casters

3. Sockets style

- ☐ Aluminum castings
- ☐ Integral welding

● 4 Compartment Commercial Sink



Customized services available

1. Customizable material

- Optional material for topsurface

☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet
- Optional material for legs

☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet


2. Feet accessories style

- ☐ Silicone bullet feet
- ☐ Metal bullet feet
- ☐ Casters

3. Sockets style

- ☐ Aluminum castings
- ☐ Integral welding

Item No.	Bowl Dimensions (L x W x D)	Length"	Width"	Height "	Drainage	Of Drainboards	Drainboard Length	Drainboard Location	Cross Braces
CSDB4-1062543	16" x 20" x 14"	106"	25½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	Yes
CSDB4-1142343	18" x 18" x 14"	114"	23½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	Yes
CSDB4-1142943	18" x 24" x 14"	114"	29½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	Yes
CSDB4-1502943	24" x 24" x 14"	150"	29½"	43 3/4"	2*Φ3-1/2"	2	24"	Left & Right	Yes
CSDB4-1062543	16" x 20" x 14"	106"	25½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	Yes
CSDB4-1142343	18" x 18" x 14"	114"	23½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	Yes
CSDB4-1142943	18" x 24" x 14"	114"	29½"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	Yes
CSDB4-1502943	24" x 24" x 14"	150"	29½"	43 3/4"	2*Φ3-1/2"	2	24"	Left & Right	Yes



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round rube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Package

- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!

Customized services available

1. Customizable material

Optional material for topsurface	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet
Optional material for legs	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet

2. Feet accessories style

☐ Silicone bullet feet
☐ Metal bullet feet
☐ Casters

3. Sockets style

☐ Aluminum castings
☐ Integral welding

● Compartment Corner Sink with Two Drainboards



Customized services available

1. Customizable material


Optional material for topsurface	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet
Optional material for legs	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet

2. Feet accessories style

- ☐ Silicone bullet feet
- ☐ Metal bullet feet
- ☐ Casters

3. Sockets style

- ☐ Aluminum castings
- ☐ Integral welding



Item No.	Bowl Dimensions (L x W x D)	Length"	Width"	Height "	Drainage	Of Drainboards	Drainboard Length	Drainboard Location	Cross Braces
CSCN-441943	14" x 14" x 14"	44½"	19½"	43 3/4"	2*Φ3-1/2"	2	14"	Left & Right	Yes
CSCN-575743	18" x 18" x 14"	57"	57"	43 3/4"	2*Φ3-1/2"	2	18"	Left & Right	Yes
CSCN-742943	24" x 24" x 14"	74½"	29½"	43 3/4"	2*Φ3-1/2"	2	24"	Left & Right	Yes



 Package

 Note

- Shipped knocked-down for saving space
 - Standard exporting carton package
- All products support customisation, we will meet your many custom needs!

Item No.	Length"	Width"	Height "	Bowl Front to Back	Bowl Left to Right	Bowl Depth	Shipping Weight	Gauge
HS-121513	17"	15"	13 1/2"	10"	14"	5 1/2"	14.51 lb	20 -Gauge
HS-121610	12"	16"	10"	9"	9"	4"	11.6 lb	20 -Gauge
HS-171713	17"	17"	13"	10"	14"	5"	11.28 lb	20 -Gauge



Package

- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!

Item No.	Length"	Width"	Height "	Bowl Front to Back	Bowl Left to Right	Bowl Depth	Shipping Weight	Gauge
HSS-121513	12"	15 3/4 "	13"	9"	9"	4"	10.63 lb	18-20 Gauge
HSS-121612	12"	16"	12"	9"	9"	4"	11.6 lb	20-Gauge
HSS-171513	17"	15"	13 1/2"	10"	14"	5 1/2"	14.51 lb	20-Gauge

Hand sink Series



Hand Sinks and Accessoires



Package

- Shipped knocked-down for saving space
- Standard exporting carton package

Note

- All products support customisation, we will meet your many custom needs!

Item No.	Length"	Width"	Height "	Bowl Front to Back	Bowl Left to Right	Bowl Depth	Shipping Weight	Gauge
HSWS-121630	12"	16"	30 1/2"	9"	9"	4"	11.6 lb	18-20 Gauge



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round tube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Package

- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!


● Utility Sinks



FRONT

SIDE

TOP



Customized services available

1. Customizable material

- Optional material for topsurface

☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet
- Optional material for legs

☐ 304 Stainless Steel
☐ 430 Stainless Steel
☐ Galvanized sheet



2. Feet accessories style

- ☐ Silicone bullet feet
- ☐ Metal bullet feet
- ☐ Casters

3. Sockets style

- ☐ Aluminum castings
- ☐ Integral welding

Item No.	Length"	Width"	Height"	Gauge	Backsplash height	Bowl Front to Back	Bowl Left to Right	Faucet Centers	Installation Type
US-482937	48"	29"	37"	16-Gauge	4"	24"	48"	8"	Freestanding
US-182637	18"	26"	37"	16-Gauge	4"	21"	18"	8"	Freestanding
US-242637	24	26	37"	16-Gauge	4"	21"	24"	8"	Freestanding
US-242937	24	29	37"	16-Gauge	4"	24"	24"	8"	Freestanding
US-362937	36	29	37"	16-Gauge	4"	24"	36"	8"	Freestanding



Note



- All products support customisation, we will meet your many custom needs!

Package

- Shipped knocked-down for saving space
- Standard exporting carton package

Item No.	Length"	Width"	Height"	Bowl Dimensions (L x W x D)	Bowl Depth	Bowl Front to back	Bowl left to right	Installation Type
MS-252111	25"	21"	11.5"	20*16*6	6"	16"	20"	Floor Model
MS-252116	25"	21"	16"	20*16*12	12"	16"	20"	Floor Model
MS-292911	29"	29"	11.5"	24*24*6	6"	24"	24"	Floor Model
MS-292916	29"	29"	16"	24*24*12	12"	24"	24"	Floor Model
MS-322411	32"	24"	11.5"	28*20*6	6"	20"	28"	Floor Model
MS-332516	33"	25"	16"	28*20*12	12"	20"	28"	Floor Model

Corner Mop Sink with Notched Front





Note

- All products support customisation, we will meet your many custom needs!

Package

- Shipped knocked-down for saving space
- Standard exporting carton package

Item No.	Length"	Width"	Height"	Bowl Dimensions (L x W x D)	Bowl Depth	Bowl Front to back	Bowl left to right	Installation Type
MSC-252111	22.5"	18 3/4"	16"	20*16*12"	12"	16"	20"	Floor Model
MSC-252116	26.5"	26.5"	16"	24*24*12"	12"	24"	24"	Floor Model
MSC-292911	30.5"	22 3/4"	16"	28*20*12"	12"	20"	28"	Floor Model



Note


- All products support customisation, we will meet your many custom needs!

Package

- Shipped knocked-down for saving space
- Standard exporting carton package

Item No.	Length"	Width"	Height"	Bowl Dimensions	Side Splash	Installation Type
MSN-252116	25"	21"	16"	20"x16"x12"	N/A	Floor Model
MSN-292916	29"	29"	16"	24"x24"x12"	N/A	Floor Model
MSN-332516	33"	25"	16"	28"x20"x12"	N/A	Floor Model
MSN-221816	22½ "	18¾"	16"	20"x16"x12"	N/A	Floor Model
MSN-302216	30½"	22¾"	16"	28"x 20"x12"	N/A	Floor Model
MSN-262616	26½"	26½"	16"	24"x24"x12"	N/A	Floor Model

1 Bowl Underbar Sink



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round rube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Package

- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!

Customized services available

1. Customizable material

Optional material for topsurface	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet
Optional material for legs	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet

2. Feet accessories style

☐ Silicone bullet feet
☐ Metal bullet feet
☐ Casters



3. Sockets style

☐ Aluminum castings
☐ Integral welding

Underbar Sink Series




1 Bowl Underbar Sink




Item No.	Length"	Width"	Height"	Spout Length	Bowl Depth	Backsplash Height	Bowl Front to back	Bowl left to right	Gauge
US1-141833	14.5"	18 3/4"	33"	6"	5"	3"	14"	10"	18-Gauge
US1-121833	12"	18 3/4"	33"	/	10"	3"	14"	10"	18-20Gauge

1 Bowl Underbar Sink with Faucet and Drainboard




Item No.	Length"	Width"	Height"	Drainboard Length	BowlDepth	Backsplash Height	Backsplash	Bowl Front to Back	Bowl Left to Right
US1-241833	24"	18 3/4 "	33"	12"	10"	3 "	With Backsplash	14"	10"

1 Bowl Underbar Sink with Faucet and 2 Drainboards



Item No.	Length"	Width"	Height"	BowlDepth	Backsplash Height	Backsplash	Drainboard Location	Gauge
US1-361833	36"	18 3/4 "	33"	10"	3"	With Backsplash	Left/Right Drainboard	16-18 Gauge

2 Bowl Underbar Sink



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round rube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Package

- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!

Customized services available

1. Customizable material

Optional material for topsurface	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet
Optional material for legs	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet

2. Feet accessories style

☐ Silicone bullet feet
☐ Metal bullet feet
☐ Casters


3. Sockets style

☐ Aluminum castings
☐ Integral welding

Underbar Sink Series



2 Bowl Underbar Sink



Item No.	Length"	width"	Height"	Bowl Depth	Backsplash Height	Backsplash	Bowl Front to Back	Gauge
US2-261833	26"	18 3/4 "	33"	10"	3"	With Backsplash	10"	18-Gauge
US2-262133	26 1/2 "	21"	33"	10"	3"	With Backsplash	10"	18-20 Gauge

2 Bowl Underbar Sink with Faucet and Drainboard




Item No.	Length"	width"	Height"	Bowl Depth	Backsplash Height	Backsplash	Bowl Front to Back	Gauge
US2-361812	36"	18 3/4"	12"	10"	3"	With Backsplash	10"	18-Gauge

2 Bowl Underbar Sink with Faucet and 2 Drainboards



Item No.	Length"	width"	Height"	Bowl Depth	Backsplash Height	Backsplash	Bowl Front to Back	Gauge
US2-481833	48"	18 3/4"	33"	33"	3"	With Backsplash	10"	18-Gauge

3 Bowl Underbar Sink



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round rube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength



Package

- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!

Customized services available

1. Customizable material

Optional material for topsurface	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet
Optional material for legs	☐ 304 Stainless Steel
	☐ 430 Stainless Steel
	☐ Galvanized sheet

2. Feet accessories style

- ☐ Silicone bullet feet
- ☐ Metal bullet feet
- ☐ Casters




3. Sockets style

- ☐ Aluminum castings
- ☐ Integral welding

Underbar Sink Series



3 Bowl Underbar Sink



Item No.	Length"	width"	Height"	Bowl Depth	Backsplash Height	Backsplash	Bowl Front to Back	Gauge
US3-381830	38"	18 3/4"	30"	10"	3"	With Backsplash	10"	18-20 Gauge
US3-381833	38 1/2"	18 3/4"	33"	10"	3"	With Backsplash	10"	18-Gauge

3 Bowl Underbar Sink with Faucet and Drainboard



Item No.	Length"	width"	Height"	Bowl Depth	Backsplash Height	Backsplash	Bowl Front to Back	Gauge
US3-481833	48"	18 3/4"	33"	10"	3"	With Backsplash	10"	18-Gauge

3 Bowl Underbar Sink with Faucet and 2 Drainboards




Item No.	Length"	width"	Height"	Bowl Depth	Backsplash Height	Backsplash	Bowl Front to Back	Gauge
US3-601833	60"	18 3/4"	33"	10"	3"	With Backsplash	10"	18-Gauge
US3-602133	60"	21"	33"	10"	3"	With Backsplash	10"	18-Gauge
US3-721833	72"	18 3/4"	33"	10"	3"	With Backsplash	10"	18-Gauge
US3-722133	72"	21"	33"	10"	3"	With Backsplash	10"	18-Gauge

Underbar Sink Series



4 Bowl Underbar Sink



Top Structure

- Sound-deadened between top and channels
- Reinforced hat channel under top
- Square top edge with safely-use care



Leg Support

- Round tube structure legs with adjustable feet, castors available
- 84" and 96" models have 6 legs for extra strength




Package

- Shipped knocked-down for saving space
- Standard exporting carton package



Note

- All products support customisation, we will meet your many custom needs!



Customized services available

1. Customizable material

Optional material for topsurface

- ☐ 304 Stainless Steel
- ☐ 430 Stainless Steel
- ☐ Galvanized sheet

Optional material for legs

- ☐ 304 Stainless Steel
- ☐ 430 Stainless Steel
- ☐ Galvanized sheet

2. Feet accessories style



- ☐ Silicone bullet feet
- ☐ Metal bullet feet
- ☐ Casters

3. Sockets style

- ☐ Aluminum castings
- ☐ Integral welding

Item No.	Length"	width"	Height"	Drainboard Length	Bowl Depth	Backsplash Height	Backsplash	Bowl Front to Back	Gauge
US4-721833	72"	18 3/4"	33"	13"	10"	With Backsplash	14"	10"	18-Gauge
US4-722133	72"	21"	33"	13"	10"	With Backsplash	14"	10"	18-Gauge
US4-842133	84"	21"	33"	19"	10"	With Backsplash	14"	10"	18-Gauge
US4-962033	96"	20"	33 1/2"	24 1/2"	10"	With Backsplash	14"	10"	18-Gauge

Drop-In Ice Bin



Package

- Shipped knocked-down for saving space
- Standard exporting carton package




Note

- All products support customisation, we will meet your many custom needs!

Item No.	Length"	Width"	Height"	Cutout Length	Ice Bin Length	Cutout Width	Ice Bin Width	Ice Bin Depth	Capacity
DIB-181211	18"	12"	11 5/6"	17 1/4"	13 1/2"	11 1/4"	8 1/8"	10 7/8"	20L
DIB-241811	24"	18"	11 5/6"	23 1/4"	20 1/8"	17 1/4"	13 1/2"	10 7/8"	50L
DIB*301511	30"	18"	11 5/6"	29 1/4"	26 1/8"	17 1/4"	13 1/2"	10 7/8"	65L
DIB-361811	36"	18"	11 5/6"	35 1/4"	32 1/8"	17 1/4"	13 1/2"	10 7/8"	80L

Portable Ice Bin



Note

- All products support customisation, we will meet your many custom needs!

Package

- Shipped knocked-down for saving space
- Standard exporting carton package




Item No.	Length"	Width"	Height"	Ice Bin Length	Ice Bin Width	Ice Bin Depth	Capacity	Type
PIB-241829	24 "	18 1/8"	29"	22"	15 3/16"	16"	100L	Sldiing top
PIB-241830	24"	18 1/8"	30"	22"	15 3/16"	16"	100L	open top



TOP

FRONT

SIDE



Note

- All products support customisation, we will meet your many custom needs!

Package

- Shipped knocked-down for saving space
- Standard exporting carton package

Item No.	Length"	Width"	Height"	Capacity (per Shelf)	Pan Capacity	Shelf / Ledge Spacing	Total Capacity
PRU-262038	26"	20"	38 1/2"	55 lb.	10 Pans	3"	550 lb
PRU-262069	26"	20 1/4"	69"	55 lb	12 Pans	5"	660 lb
PRU-262063	26"	20"	63"	55 lb.	18 Pans	3"	795 lb.
PRU-262070	26"	20 1/4"	70"	55 lb.	20-40 Pans	3"	795 lb.
PRU-202669	20 1/4"	26"	69 1/2"	55 lb.	30-60 Pans	2"	795 lb.



Pan Rack - Welded



FRONT

SIDE

TOP



 Note

- All products support customisation, we will meet your many custom needs!

 Package

- Shipped knocked-down for saving space
- Standard exporting carton package

Item No.	Length"	Width"	Height"	Pan Capacity	Shelf / Ledge Spacing	Type
PRW-272036	27 1/2"	20 1/2"	36 1/2"	20Pans	11/2"	Half Height Sheet Pan Racks
PRW-272168	27"	21"	68"	40Pans	11/2"	Full Height Sheet Pan Racks

Solid Wall Shelf




 Note

- All products support customisation, we will meet your many custom needs!

 Package

- Shipped knocked-down for saving space
- Standard exporting carton package



Item No.	Width"	Height"	Gauge	Capacity	Type
SWF-101316	10"	13"	16-Gauge	210 lb	Wall Shelves
SWF-121316	12"	13"	16-Gauge	230 lb	Wall Shelves
SWF-181516	18"	15 3/4"	16-Gauge	300 lb	Wall Shelves
SWF-101318	10"	13"	18-Gauge	230 lb	Wall Shelves
SWF-121318	12"	13"	18-Gauge	230 lb	Wall Shelves
SWF-181518	18"	15 3/4"	18-Gauge	450 lb	Wall Shelves

Wall Mounted Slanted Rack Shelf



Item No.	Width"	Height"	Gauge	Capacity	Type
WMS-221218	22 1/2"	12"	18-Gauge		Glass and Dish Rack Shelves Related Items

Wall Mounted Pot Rack with Shelf



Item No.	Width"	Height"	Gauge	Capacity	Type
WMP-121618	12"	16"	18-Gauge	230 lb	Wall Shelves with Pot Racks
WMP-151618	15"	16"	18-Gauge	300 lb	Wall Shelves with Pot Racks
WMP-181618	18"	16"	18-Gauge	230 lb	Wall Shelves with Pot Racks



Add: Lot A 3.7,C1 Street, Thanh Thanh Cong Industrial Park,
An Hoa Commune, Trang Bang District, Tay Ninh Province, Vietnam.
Tel:(+84)(0276)3781999
Email: sales@inoxlegend.vn